

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5617	((choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 09:48
L2	397	L1 and ("726"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 09:48
L3	18	2 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 09:57
L4	183	1 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 09:59
L5	165	4 not 3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 09:59
L6	138	((choos\$5 select\$5) near7 ((based adj on) basis accord\$5) near7 ((predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 10:01
L7	54	((choos\$5 select\$5) near7 (subscriber client) near7 ((based adj on) basis accord\$5) near7 (QOS priority bandwidth) ) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 10:49
S1	1097	((public near3 address) same (private near3 address) same network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 12:13
S2	467	S1 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 12:14
S3	181	S2 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 12:14
S4	289	S1 and ( (name address ID) near2 (table database server) same (NAT (network\$4 near3 translat\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 12:21

S5	289	S1 and ( ( (name address ID) near2 (table database server) same (NAT (network\$4 near3 translat\$5)) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 12:22
S6	160	S5 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 12:22
S7	3989	370/352-356.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 14:49
S8	5410	370/389,392.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 14:59
S9	3383	370/401.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 14:59
S10	716	370/475.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 14:59
S11	1751	(( (name address ID) near2 (table database server stor\$5 memory maintain\$5) same (NAT (network\$4 near3 translat\$5)) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:00
S12	92	S7 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:01
S13	97	S8 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:01
S14	120	S9 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:01
S15	17	S10 and S11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:01
S16	492	S11 and ( (dynamic\$6 vary\$5 varie\$3) near3 (address ID) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:05
S17	31	S7 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:05
S18	40	S8 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:05

S19	33	S9 and S16	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:06
S20	8	S10 and S16	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/06/03 15:06
S21	2775	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address ID identif\$8) ) )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/08 18:54
S22	1253	S21 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/08 18:55
S23	198	S22 and (DNS (name near2 server)) and NAT	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/08 18:56
S24	2777	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address ID identif\$8) ) )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 14:37
S25	1254	S24 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 14:37
S26	465	S25 and (DNS (name near2 server) DHCP)	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 14:37
S27	1839	((broadcast\$5 send\$5 sent transmi\$8 announc\$7) near5 (address ID identif\$8)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 15:39
S28	799	S27 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 15:39
S29	90	S28 and 709/245.ccls.	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 15:41
S30	149	(((broadcast\$5 advertise) near5 (address ID identif\$8)) with network) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US_PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 16:46

S31	219	(((broadcast\$5 advertis\$7) near5 (address ID identif\$8)) with network) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 16:47
S32	97	S31 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 16:47
S33	395	(( (without bypass\$5) near7 (NAT translat\$7 DNS)) and ( (private near3 (address ID identif\$8)) same ( (public\$7 global\$7) near3 (address) ) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 17:24
S34	145	S33 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 17:24
S35	1	"7412004".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/09 17:51
S36	42	new near3 (public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 advertis\$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:07
S37	32	S36 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:07
S38	2	PCT/JP03/06387	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:09
S39	3018	(public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send\$5 sent transmi\$8 announc\$7 advertis \$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:16
S40	432	(new expr\$5 chang\$5) near3 (public\$5 global\$5) near3 address\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:16
S41	190	S39 and S40	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:17
S42	92	S41 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:18
S43	3	((SCD same handoff same list). clm.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:37
S44	1	"5109390".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/10 13:38

S45	27	{"5673322"   "5793763"   "5805803"   "5822434"   "5835718"   "5884272"   "5907677"   "5918018"   "5961593"   "6003084"   "6006264"   "6052725"   "6052788"   "6154839"   "6182226"   "6298445"   "6321336"   "6502135"   "6571290"   "6591306"   "6704873"   "6725378"   "6778525"   "6789203"   "6829654").PN: OR ("7039721").URPN.	US-PGPUB; USPAT; USCCR	OR	ON	2008/12/10 18:53
S46	5617	((choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8)) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905" )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2008/12/11 09:37

12/11/2008 11:28:52 AM

C:\ Documents and Settings\ psinkantarakorn\ My Documents\ EAST\ Workspaces\ 10656834-2.wsp